# Estimating Quantities in English & Metric

Reference to 2017 NDOT Standard Specifications for Highway Construction

## **General Information:**

Items are listed in alphabetical order.

Conversion factors are in English and Metric.

R.A.P. is an acronym for Recycled Asphalt Pavement other term used Bituminous Millings.

Weight of RAP - 144 lbs./ft3

One gallon of emulsified asphalt or water weighs 8.333 lbs.

Beveled edges in asphalt and concrete pavements are subsidiary. The required material is included in asphalt tons or concrete square yards.

# **Asphaltic concrete projects.** Add the following equipment rental items and hours.

"Rental of Loader, Fully Operated" - 15 Hour

"Rental of Motor Grader, Fully Operated" - 15 Hour

"Rental of Dump Truck, Fully Operated" - 15 Hour

"Rental of Skid Loader, Fully Operated" - 15 Hour

#### **Armor Coat – Section 515**

"Armor Coat Aggregate" – Cubic Yard (cubic meter) 23 lbs./yd<sup>2</sup> conversion factor 1.3 tons = 1 yd<sup>3</sup> 14.1 kg/m<sup>2</sup> conversion factor 1.54 Mg = 1 m<sup>3</sup>

"Armor Coat Emulsified Asphalt" – Gallon (kiloliters) 0.34 Gal/yd² (0.9 L/m²)

# Asphaltic Concrete – Section 503, Section 1028 & Special Provision

"Asphaltic Concrete, Type "\_\_\_" – Ton (megagram) Tables on pages 7 & 8 for types and weight Include material required for beveled edge

include material required for beveled edge

"Hydrated Lime/WMA" – Each Table on page 7

"RAP Incentive Payment" – Each Asphaltic Concrete Type "\*\*" tons x 1.7 = Each

#### Asphaltic Concrete Curb – Section 505

"Constructing Asphaltic Concrete Curb" – Linear Foot (meter)

Factor for 3" (75 mm) Curb

Factor for 4" (100mm) Curb

Factor for 6" (150mm) Curb

Factor for Tack Coat

1.35 Tn/Sta (4.0 Mg/Sta)

2.00 Tn/Sta (6.0 Mg/Sta)

2.10 Tn/Sta (6.25 Mg/Sta)

1.0 Gals/Sta (4 L/Sta)

# Asphaltic Concrete for Patching - Section 516

"Asphaltic Concrete for Patching, Type " ""- Ton (megagram)

#### Asphalt Pavement Smoothness Testing ID - Section 502 & Special Provision

#### Superpave Quality and Asphalt Smoothness Testing I/D - Special Provision

"Superpave Quality and Asphalt Smoothness Testing I/D – Each 2.5 X mainline asphalt tonnage

# **Bituminous Patching of Concrete Pavement – Section 520**

"Bituminous Patching" – Ton (megagram)

#### **Bituminous Sand Base Course - Section 509**

"Bituminous Sand Base Course Asphaltic Oil" – Gallon 1000 Gal/Sta for (5" x 24')

(liter) [12400 L/Sta for (130 mm x 7.3 m)]

"Bituminous Sand Base Course Emulsified Asphalt" – Gallon 1200 Gal/Sta for (5" x 24') 6% residual

(liter) [14900 L/Sta for (130 mm x 7.3 m) 6%)]

"Bituminous Sand Base Course" – Station

"Mineral Filler for Bituminous Sand Base Course - Cubic Yard

(Cubic Meter)

"Mineral Aggregate" – Cubic Yard (cubic meter)

"Water" – MGal - (kiloliter)

"Fog Seal" - Gallon (liter)

\*\* Quantity of Mineral Filler will vary depending on type of soil.

\*\*10 CY/Sta for (5"x24')

\*\*25 m<sup>3</sup>/Sta for (130mmx7.3m)

Do not use for estimate. 1 Mga/Sta (12 KL/Sta)

0.15 Gal/yd<sup>2</sup> (0.68 L/m<sup>2</sup>)

#### **Bituminous Surface Course - Section 512**

"Bituminous Surface Course" – Square Yard (square meter)

"Fog Seal" – Gallon (liter) 0.6 Gal/yd² (2.5 L/m²)

#### **Bridge Items**

"Placement of Asphaltic Concrete for Bridges" – SqYd or SqFt (begin with the 8-25-2022 letting)

"Saw and Seal Joint" - LF - coming soon

"Bridge Preparation" – SqYds or SqFt -- Use Type 1 or Type 2

"Preformed Waterproofing Membrane, Type 1" - SqYd

"Preformed Waterproofing Membrane, Type 2" -- SqYd

"Preformed Waterproofing Membrane, Type 3" \_ SqYd -- used for new bridges

"Hot Liquid – Applied Membrane Waterproofing" – SqFt

"Cold Liquid – Applied Membrane Waterproofing" – SqFt -- Item is no longer available maybe in the future.

#### Calcium Chloride, Applied - Section 309

"Calcium Chloride Applied" – Ton (megagram) 3 lbs./yd² (1.6 kg/m² or 0.0015 Mg/m²)

## Cement Stabilized Bituminous – Special Provision

"Cement Stabilized Bituminous" – Station

"Cement" – Ton (megagram) 5% weight of RAP

"Water for Cement Stabilization" – MGal (kiloliter) 5% weight of RAP & Cement (convert to MGal)

"Cold Milling, Class 2" - Station - Use if required in the "Pavement Determination"

"Fog Seal" – Gallon (liter) - See Note 0.24 Gal/yd<sup>2</sup>

Note: One application after the "CSB" Second application after the "Cold Milling, Class 2 if required.

#### Chip Seal - Section 515

"Chip Seal Aggregate" – Cubic Yard 25 lb/yd² (aggregate weight 1.4 tons = 1 yd³)

(Cubic Meter) [11.0 kg/m<sup>2</sup> (aggregate weight 1.54 Mg = 1 m<sup>3</sup>)]

"Chip Seal Emulsified Asphalt" – Gallon (liter) 0.36Gal/yd<sup>2</sup> 1.4 L/m<sup>2</sup>)

#### Cold In-Place Recycling (w/Foamed Asphalt) - Special Provision

"Cold In-Place Recycling with Foamed Asphalt" - Station

"Performance Graded Binder (58-28)" - Ton 2% RAP (4"x24'= 1.15 ton/sta) (4'x28'= 1.34 ton/sta)

"Fog Seal" – Gallon 0.10 Gal/yd<sup>2</sup>

#### Cold Milling – Section 510

"Cold Milling, Class \_\_\_ " – Station, Square Yard (square meter)

# Concrete Pavement Repair, Flexible Polymer Modified"

"Concrete Pavement Repair, Flexible Polymer Modified" - Square Yard

Note: Special Provision describes depth of repair. Preparation of concrete, primer, bulking aggregate, and surfacing aggregate are subsidiary.

#### **Concrete Sealer – Special Provision**

"Penetrating Concrete Sealer" - Gallons 300 Sq/Ft per Gal

## **Concrete Surfacing Milling – Section 510**

"Concrete Surface Milling" – Square Yard or Station

#### **Cracking & Seating Concrete Pavement – Special Provision**

"Cracking & Seating" – Square Yard (square meter)

#### Diamond Grinding and Texturing Pavement – Special Provision

"Diamond Grinding and Texturing Pavement "- Square Yard

#### Earth Shoulder Construction - Section 304

"Earth Shoulder Construction" – Station

"Water" – MGal (kiloliter)

Shoulders are measured separately

0.25 MGal/Sta (3.0 kL/Sta)

#### Earth Shoulder Restoration – Special Provision

Use this item when the project has "Trenched Widening 1' " and 1 inch grade raise or less. "Trenched Widening 3" and 2 inch grade raise or less.

"Earth Shoulder Restoration" – Station Shoulders are measured separately

"Seeding, Type B" – Acre Use 8' wide x length 1 Acre = 43,560 sqft"Mulch (Hay or Straw) - Ton 2.25 tons/acre

#### Fabric Reinforcement Crack Repair - Section 518

"Fabric Reinforcement Crack Repair" - Linear Feet (LF)

# Fly Ash Stabilized Bituminous – Special Provision

"Fly Ash Stabilized Bituminous" – Station

"Fly Ash" - Ton (megagram) 12% weight of RAP

"Water for Fly Ash Stabilization" – Mgal (kiloliter) 5% weight of RAP & Fly Ash "Cold Milling, Class 2" - Station - Use if required in the "Pavement Determination"

Note: One application after the "FSAB" Second application after the Cold Milling, Class 2 if required.

#### Fog Seal - Section 513

"Fog Seal" - Gallon (kiloliter) / CSS-1 & CSS-1H

Factor for mainline & shoulder 0.12 Gal/ yd<sup>2</sup> (0.54 L/m<sup>2</sup>) Factor for open graded friction course 0.16 Gal/ yd<sup>2</sup> (0.72 L/m<sup>2</sup>) Factor for milled surface of Asph. Conc. 0.07 Gal/ vd<sup>2</sup> (0.32 L/m<sup>2</sup>) Factor for milled surface of Bit. Sand 0.10 Gal/ vd<sup>2</sup> (0.45 L/m<sup>2</sup>)

#### Foundation Course - Section 307

"Foundation Course " – Square Yard Note: Use this item for estimates.

Note: Foundation Course calculated as total pavement footprint including bevel. Water calculated for pavement footprint plus 3' beyond. Plans show Foundation Course 3' beyond pavement footprint.

"Bituminous Foundation Course \_ " - Square Yard (square meter) In place weight for 4"+1/4" trimming = 123 lb./ft<sup>3</sup> or 1.66 Tn/yd<sup>3</sup> (1.98 Mg/m<sup>3</sup>) Stockpiled Bituminous = 1.43 Tn/yd<sup>3</sup>

" – Square Yard (square meter) "Crushed Concrete Foundation Course

In place weight for 4"+1/4" trimming = 0.190 Tn/yd<sup>2</sup> (100 mm + 5 mm trimming = 0.2079 Mg/m<sup>2</sup>)

Stockpiled crushed concrete = 1.35 Tn/yd<sup>3</sup>  $(1.61 \text{ Mg per m}^3)$ 

Concrete Pavement in Place = [ yd3 x 1.94 Tn/yd3 x 90% (10% loss)] = tons of crushed concrete available  $\{[m^3 \times 2.31 \text{ Mg/m}^3 \times 92\% (8\% \text{ loss})\} = \text{Mg of crushed concrete available}\}$ 

"Aggregate Foundation Course "D" "\_\_\_\_" - Square Yard (square meter)
"Aggregate Foundation Course \_\_\_\_" - Square Yard or Ton (square meter or megagram)

In place weight for 4"+1/4" trimming =  $(yd^2 \times 0.2222 \text{ Tn/yd}^2)$  = Tons

 $[100 \text{ mm} + 5 \text{ mm} = (\text{m}^2 \times 0.2415 \text{ Mg/m}^2) = \text{Mg}]$ 

# **Gravel Embedment - Special Provision**

"Gravel Embedment" – Station

"Gravel" – Cubic Yard (cubic meter) (Designer's item)

Note: Design is usually 2" (50mm) gravel embedded in the upper 4" (100mm) & cap with 1" (25mm).

#### **Granular Subdrains - Section 915**

"Granular Subdrains" - Each

#### Surfacing Under Guardrail - Special Provision

"Surfacing Under Guardrail" - Square Yard (square meter)

Note: Pay item includes asphalt or concrete surface (contractor's option) and subgrade preparation.

# **High Friction Surface Treatment – Special Provision**

"High Friction Surface Treatment (1-Layer)" - SqYd

"High Friction Surface Treatment (2-Layer)" - SqYd

# Hot In-Place Recycling - Special Provision

"Hot In-Place Recycling" – Station

"Emulsified Asphalt for Hot In-Place Recycling"-Gal 1.0% of RAP (2"x24'=69 (Gal/sta) (2"x28'=81Gal/sta)

## Hydrated Lime Slurry Stabilization – Special Provision

"Hydrated Lime Slurry Stabilization" - Station

"Hydrated Lime" – Ton 1.50% weight of RAP (4"x24'= 0.9 tons/sta) (5"x24'= 1.1 tons/sta)

"Emulsified Asphalt For HLSS"-Gal1.75% weight of RAP & Lime (4"x24'= 245 Gal/Sta) (5"x24')= 307(Gal/Sta)

"Fog Seal" – Gallon 0.10 Gal/yd<sup>2</sup>

Note: Growth factor approx. 3/4" for a depth of 3" to 5". 1" for a depth of 6"

#### Intersections and Driveways – Section 302 & Section 503

"Preparation of Intersections and Driveways" – Square Yards (square meters)

"Placement of Asphaltic Concrete for Intersections and Driveways" – Square Yards (square meters)

Note: Asphaltic concrete paid for by roadway tonnage or megagrams.

#### Joint Sealing Asphalt to Concrete - Section 508

"Joint Sealing – Asphalt to Concrete" – Station (one side)

#### Mailbox Turnouts – Section 912 & Special Provision

"Preparation of Intersection and Drives" - Square Yard

"Placement of Drives and Intersections" - Square Yard

# Microsurfacing - Section 514

"Microsurfacing Placement - Station

"Emulsified Asphalt for Microsurfacing" – Gallon (liter) 12.0% of total tons 240 Gal = 1 ton (1000L=1Mg)

"Aggregate for Microsurfacing" – Ton (megagram) 83.8% of total tons (Mg)

"Mineral Filler for Microsurfacing" – Ton 1.7% of total tons (Mg)

Note: Weight Factor is 6.6 Tn/100 ft<sup>3</sup> (2.1 Mg/m<sup>3</sup>)

Note: Lift thicknesses are 1/4" and calculate rut depth if applicable.

#### Milling Concrete for Inlays – Section 510

"Milling Concrete for Inlays" - Each

## Non-Woven Pavement Overlay Fabric - Special Provision

"Non-Woven Pavement Overlay Fabric" - Square Yard

# Performance Graded Binder (\*\* - \*\*) - Special Provision

Use the table on page 6 to estimate the tons.

# Perforated Pipe - Section 914

"\_\_\_\_\_Perforated Pipe" – Linear Foot (LF)

" Non-Perforated Pipe" - Linear Foot (LF)

# Removal and Processing of Concrete Pavement - Section 312

# **Shoulder Subgrade Preparation – Section 302**

"Shoulder Subgrade Preparation" – Station

"Water" – MGallon (kiloliter) 0.5 MGal/Sta (6.0 kL/Sta)

Note: Shoulders are measured separately

# **Special Surface Course – Special Provision**

Note: Use this item if placing millings on driveways or under guardrail

"Special Surface Course" – Square Yard (square meter)

"Fog Seal" – Gallon 2 applications, 0.20 Gal/yd² for soil and 0.30 Gal/yd² for the surface

(liter) (2 applications, 0.91 L/m² for soil and 1.36 L/m² for the surface)

# Stress Absorbing Fiberglass Layer with Emulsified Asphalt (SAFLEA) – Special Provision

Added item summer of 2017

"Stress Absorbing Fiberglass Layer with Emulsified Asphalt" – Square Yard (square meter)

"Armor Coat Emulsified Asphalt" – Gal (liter) 0.44 Gal/yd<sup>2</sup>

"Armor Coat Aggregate" – Cubic Yard (cubic meter) 32 lb/yd<sup>2</sup> conversion factor 1.3 tons = 1 yd<sup>3</sup>

#### Subgrade Preparation – Section 302

"Subgrade Preparation" – Station or Square Yard (square meter)

"Water" – MGallon (kiloliter) 1.0 MGal/Sta (12.0 kL/Sta) or 0.003 MGal/yd² (0.014 kL/m²)

Note: Subgrade Preparation calculated as total pavement footprint including bevel. Water calculated for pavement footprint plus 3' beyond. Plans show Subgrade Preparation 3' beyond pavement footprint.

# Subgrade Preparation for Widening - Special Provision

Note: Use for concrete pavement widening

"Subgrade Preparation for Widening" – Station (one side)

"Water" – MGallon (kiloliter) 0.5 MGal/Sta (6.0 kL/Sta)

#### Subgrade Stabilization – Section 303

"Subgrade Stabilization" – Station or Square Yard (square meter)

"Soil Binder" – Cubic Yard (cubic meter)

12.5 yd³/Sta or (6" x 30")

[31 m³/Sta for (150mm x 9m)]

1 MGal/Sta or 0.003 MGal/yd²

(12.0 kL/Sta or 0.014 kL/m²)

Subgrade Stabilization calculated as total pavement footprint including bevel. Soil Binder and Water calculated

for pavement footprint plus 3' beyond. Plans show Subgrade Stabilization 3' beyond pavement footprint.

## Surfacing – Special Provision

"Surfacing"\_\_\_\_"" - Square Yard (square meter)

Note: Contractor's choice for pavement type, asphaltic concrete or portland cement concrete.

Sheet 6 of 9 4/19/2022

# Surfacing Under Guardrail - Special Provision

"Surfacing Under Guardrail" - Square Yard

# Stabilized Subgrade (8" depth) - Special Provision

"Stabilized Subgrade Type Cement" "Cement" – Ton	<ul> <li>Square Yard</li> <li>27 lbs/yd²</li> </ul>	used if granular content is high for a variety of PIs cement quantity is ** 7% 4% of soil tons				
"Stabilized Subgrade Type Fly Ash" "Fly Ash – Ton	<ul> <li>Square Yard</li> <li>66 lbs/yd²</li> </ul>	use if PI of soil is 19 or less fly ash quantity is **10% of soil tons				
"Stabilized Subgrade Type Lime" – "Hydrated Lime" – Ton	Square Yard 33 lbs/yd <sup>2</sup>	use if PI of soil is 20 or more hydrated lime quantity is **5% of soil tons				
"Water" – MGallon	1 MGal/Sta or	0.003 Mgal/yd²				
Note: Stabilized Subgrade Type calculated as total pavement footprint including bevel. Cement, Fly Ash, Hydrated Lime, and Water calculated for pavement footprint plus 3' beyond. Plans show Stabilized Subgrade Type " " 3' beyond pavement footprint.						
**Soil weight compacted in place, 110 lbs/ft <sup>3</sup>						

#### Tack Coat - Section 504

"Tack Coat" – Gallon (liter)
Factor for existing surface

Factor for existing surface 0.150 Gal/yd² (0.680 L/m²) Factor for between lifts 0.050 Gal/yd² (0.230 L/m²)

# **Temporary Surfacing – Special Provision**

"Temporary Surfacing "\_\_\_"" – Station or Square Yard (square meter)

Note: Contractor's choice for pavement type, asphaltic concrete or portland cement concrete.

Note: Subgrade Preparation, earth shoulder construction, water applied, and removal are subsidiary.

# Trenched Widening 1'- Special Provision

"Trenched Widening 1"" – Station Measured separately - one side

Note: Include "Earth Shoulder Construction" or

"Earth Shoulder Restoration"

# **Trenched Widening 3'- Special Provision**

""Trenched Widening 3" – Station Measured separately – one side

Note: Include "Earth Shoulder Construction" or "Earth Shoulder Restoration"

## Widening - Special Provision

"Widening" – Station Measured separately.

# **Ultra Thin Bonded Asphalt Wearing Course – Special Provision**

"Ultra Thin Bonded Asphalt Wearing Course - Ton

"Performance Graded Binder \*\* \*\* - Ton

"UTBAWC" will be SLX, SPR (Fine) or SPH (0.375) as noted in the "Pavement Determination"

Note: Do not pay for Tack Coat

# Performance Graded Binder (\*\*-\*\*) Table

.

Min - Max Rap Section 1028.02	Asph. Conc. Type	PG Binder (**- **) Type	Gradation bands (0.5) multiply Asph. Conc. tonnage by	Gradation bands (0.375) multiply Asph. Conc. tonnage by	Gradation bands (0.19) multiply Asph. Conc. tonnage by	
	GGCRM	Check with Bob Rea	8.5%	NA	NA	
	GGCRMLV	Check with Bob Rea	8.5%	NA	NA	
25%	LC	(58H-34)	NA	NA	5.2%	
20% - 35%	SLX SLX for Interstate	(58H-34) (58V-34)	NA NA	4.2% 4.2 %	NA NA	
0% - 50%	SPR	(58H-34)	3.4%	NA	NA	
0% - 55%	SPR(Fine)	(58H-34)	NA	3.4%	NA	
0% - 65%	SPS	(58S-34)	3.2%	NA	NA	
0% - 25%	SPH	(58H-34)	3.8%	3.8%	NA	
0% - 65%	SRM	(58H-34)	2.8%	NA	NA	

From Bob Rea September 2020 Virgin Mix use 5.8% for SLX, 5.4% for SPR and 5.4% for SPS

1" SLX thin lifts - add 15% to asphalt tons for slope and profile correction.

# **Hydrated Lime / Warm Mix Asphalt**

Example: If you have 10534 tons of Asphaltic Concrete Type "SPR" there will be 10534 Each of "Hydrated Lime/WMA".

Asph. Conc. Type	"Hydrated Lime/WMA" Pay item is "Each"
	multiply tons of asphalt by
GGCRM	1
GGCRNLV	1
LC	1
SLX	1
SPR	1
SPR (Fine)	1
SPS	NA
SPH	1
SRM	1

# **Asphaltic Concrete Tonnage Table**

# **Asphaltic Concrete Types**

	Bit Sand Bit Base Fne Crse Crs	d	FCCRMM GC	GCRM GG	CRMLV		<u>LC</u>	SLX	SPS SPH	SPR(Fine) SPR <u>SRM</u>
	6.0	6.2	6.3	Tons per 6.75	<b>100 Cubic</b> 6.95	<b>Feet</b> 7.15	7.25	7.30	7.35	7.40
	120	124	126	Pounds 135	per Cubic F 139	<b>oot</b> 143	145	146	147	148
lu ala a	_			Ton	s/SY/Inch					
Inche 1	0.04 <u>5</u>	0.050	<u>0.050</u>	<u>0.051</u>	<u>0.052</u>	0.054	0.054	<u>0.055</u>	0.055	<u>0.055</u>
1.5		0.000	<u>0.000</u>	<u>0.00 1</u>	<u>0.002</u>	<u>0.004</u>	0.004	0.000	0.000	0.000
2	0.090	0.093	0.095	<u>0.101</u>	<u>0.104</u>	0.107	0.109	<u>0.110</u>	<u>0.110</u>	<u>0.111</u>
2.5										
3	<u>0.135</u>	<u>0.140</u>	<u>0.141</u>	<u>0.151</u>	<u>0.156</u>	<u>0.161</u>	<u>0.163</u>	<u>0.164</u>	0.165	<u>0.166</u>
3.5										
4	<u>0.180</u>	<u>0.186</u>	<u>0.189</u>	0.202	<u>0.208</u>	<u>0.214</u>	<u>0.218</u>	0.219	0.221	0.222
4.5	0.225	0.000	0.336	0.252	0.260	0.060	0.070	0.274	0.276	0.270
5 5.5	<u>0.225</u>	0.233	<u>0.236</u>	<u>0.253</u>	<u>0.260</u>	0.268	0.272	<u>0.274</u>	<u>0.276</u>	<u>0.278</u>
6	0.270	0.279	0.284	0.303	<u>0.313</u>	0.322	0.326	0.329	0.331	0.333
6.5							·			
7	<u>0.315</u>	0.326	<u>0.331</u>	<u>0.354</u>	<u>0.365</u>	0.375	0.381	0.383	0.386	0.388
8	0.360	0.372	<u>0.378</u>	0.405	<u>0.417</u>	0.429	0.435	0.438	0.441	0.444
9	<u>0.405</u>	<u>0.419</u>	<u>0.425</u>	<u>0.456</u>	<u>0.469</u>	<u>0.483</u>	<u>0.489</u>	0.493	0.496	0.500
10	<u>0.450</u>	<u>0.465</u>	<u>0.473</u>	<u>0.506</u>	<u>0.521</u>	<u>0.536</u>	0.544	0.548	<u>0.551</u>	<u>0.555</u>

# **Asphaltic Concrete Megagram Table**

# **Asphaltic Concrete Types**

	Bit Sand Base <u>Crse</u>	Bit Fnd <u>Crse</u>		<u>LC</u>	SRM <u>SLX</u>	SPH SPS	SPR(Fine) SPR HRB
	1.922	1.986	Megagrams 2.291	per Cubic I 2.323	<b>Meter</b> 2.339	2.355	2.371
		Megag	ram per Sq	uare Meter	- Millimeter		
mm 13 25 30 40 45	0.0250 0.0481 0.0577 0.0770 0.0865	0.0258 0.0497 0.0596 0.0795 0.0904	0.0298 0.0573 0.0687 0.0916 0.1031	0.0302 0.0581 0.0697 0.0929 0.1045	0.0304 0.0585 0.0702 0.0936 0.1053	0.0306 0.0589 0.0707 0.0942 0.1060	0.0308 0.0593 0.0712 0.0948 0.1067
50	0.0962	0.0994	0.1146	0.1162	0.1170	0.1178	0.1186
60	0.1154	0.1193	0.1375	0.1394	0.1404	0.1414	0.1424
80	0.1539	0.1590	0.1833	0.1858	0.1872	0.1885	0.1898
90	0.1732	0.1789	0.2062	0.2091	0.2106	0.2120	0.2134
100	0.1924	0.1988	0.2291	0.2323	0.2340	0.2356	0.2370
105	0.2018	0.2085	0.2406	0.2439	0.2456	0.2473	0.2490
120	0.2309	0.2386	0.2749	0.2788	0.2808	0.2827	0.2846
130	0.2501	0.2584	0.2978	0.3020	0.3042	0.3063	0.3084
135	0.2595	0.2681	0.3093	0.3136	0.3158	0.3179	0.3218
150	0.2886	0.2982	0.3437	0.3485	0.3510	0.3534	0.3558
180	0.3463	0.3578	0.4124	0.4181	0.4212	0.4241	0.4270
205	0.3940	0.4071	0.4697	0.4762	0.4795	0.4878	0.4961
230	0.4425	0.4572	0.5269	0.5343	0.5382	0.5419	0.5456
255	0.4901	0.5064	0.5842	0.5924	0.5964	0.6005	0.6046
280	0.5387	0.5566	0.6415	0.6504	0.6552	0.6597	0.6642
305	0.5862	0.6057	0.6988	0.7085	0.7134	0.7183	0.7232
330	0.6343	0.6554	0.7560	0.7666	0.7719	0.7772	0.7825
355	0.6823	0.7050	0.8133	0.8247	0.8303	0.8360	0.8417