

Culvert Pipe - Quick Reference Guide

In accordance with contract sampling and testing requirements for culvert pipe, the **sample record creator** creates a sample record using these unique parameters:

Basic Sample Data tab

Material Code: **700PIPE, Culvert Pipe – LIMS Managed Material**

P/S Name: **PIPEMANF, Producer Supplier Test Template**

Product Name: **Product Information on Test Template**

Contract tab

Link only those contract items associated with this sample record.

Other

Destination Lab: NDOR Central Lab

Tests tab

Assign Sample Tests:

Required and assigned by default

Culvert Pipe – Field

Important Only poly pipe requires lab evaluation; therefore, field technicians **must** add **Culvert Pipe – Lab**

Enter/View Test Data:

Following the prompts, the **sample record creator** will complete template.

Items of particular note

The effective date is pre-defined

Select the type of culvert pipe material (Type 1-8)

Select the Product

Complete the corresponding data fields to identify the culvert pipe material

Round Equivalent

Delivered Length

Number of Elbows

Number of Flared End Sections

Sample Submission Required

Required Documentation checkbox (shipping reports, including Buy America certification, are denoted here)

A single template will correspond with a single culvert pipe submission. Multiple templates can be added to a single sample record.

Culvert pipe, types 1-5 are **field-authorized materials** as set forth in the Materials Sampling Guide; culvert pipe, types 6-8 are **lab authorized materials** and require lab evaluation.