


Information Table of Contents

May 1, 2026


Plan No.	Title	Comments
1000 3 R1	Superelevation Diagram	
3010 3 R1	Phasing for Concrete Island	
4000 3 R0	Minimum Backfill For Traffic	
4300 3 R2	4" Pipe Underdrain	
4310 3 R0	Granular Sub-Drain Details	
4335 3 R3	Approach Slab Drainage Inlet	
5000 3 R0	Contour Cultivation	
9000 3 R1	Object Markers	AUG 2025 - Revision



SUPERELEVATION DIAGRAM

SUPERELEVATION													
P.I. STATION	RADIUS OF CURVE	SUPERELEVATION e %	RELATIVE SLOPE	NORMAL CROWN STATION	ADVERSE CROWN REMOVED STATION	REVERSE CROWN STATION	P.C. STATION	FULL SUPER STATION	FULL SUPER STATION	P.T. STATION	REVERSE CROWN STATION	ADVERSE CROWN REMOVED STATION	NORMAL CROWN STATION
*	*	*	*	*	*	*	*	*	*	*	*	*	*
*	*	*	*	*	*	*	*	*	*	*	*	*	*
*	*	*	*	*	*	*	*	*	*	*	*	*	*
*	*	*	*	*	*	*	*	*	*	*	*	*	*
*	*	*	*	*	*	*	*	*	*	*	*	*	*
*	*	*	*	*	*	*	*	*	*	*	*	*	*
*	*	*	*	*	*	*	*	*	*	*	*	*	*
*	*	*	*	*	*	*	*	*	*	*	*	*	*

FOR DETAILS NOT SHOWN SEE PLAN ___



WEDGE COURSE FOR SUPERELEVATION CORRECTION

STA. ___+__ TO STA. ___+__

SUPERELEVATION CORRECTION			
STATION TO STATION	QUANTITY (TONS)	TYPE	MAXIMUM "X" CORRECTION DEPTH
* - *	*	*	"



FOR INFORMATION ONLY

SUPERELEVATION DIAGRAM
GENERAL INFORMATION




Roadway Design Division


COMPUTER: BG0419M187
DATE: 8-JAN-2026 10:10
FILE: 1000 3 R1.dgn




STEP I - BUILD TRAFFIC LANE (FULL DEPTH)



STEP III - BUILD CURB, WITH #5 x 8" TIE BAR AT 5'-0" CENTERS TO BE DRILLED AND GROUT AND #4 LONGITUDINAL BAR GAPPED AT CONTRACTION JOINT LOCATIONS: 3" MIN, 6" MAX.



STEP II - MILL 2" x 2'-0"



STEP IV - BUILD MEDIAN SURFACING ON EXISTING SURFACE

CONCRETE MEDIAN SURFACING

PHASING FOR CONCRETE ISLAND
GENERAL INFORMATION


NEBRASKA
Good Life. Great Journey.
DEPARTMENT OF TRANSPORTATION

Roadway Design Division
1500 Nebraska Parkway
Lincoln, NE 68502
Office: 402-479-4601



COMPUTER: BG0419M187

DATE: 10-MAR-2026 12:17

FILE: 3010_3_R1.dgn



END OF MEDIAN ISLAND



CONCRETE ISLAND NOSE FOR RETROFIT

NOTE:
EXISTING CONCRETE PAVEMENT IS TO BE REMOVED TO BUILD CONCRETE ISLAND NOSE.

PHASING FOR CONCRETE ISLAND
GENERAL INFORMATION


NEBRASKA
Good Life. Great Journey.
DEPARTMENT OF TRANSPORTATION

Roadway Design Division
1500 Nebraska Parkway
Lincoln, NE 68502
Office: 402-479-4601

COMPUTER: BG0419M187


DATE: 10-MAR-2026 12:17

FILE: 3010 3 R1.dgn




MINIMUM BACKFILL FOR TRAFFIC


ISOMETRIC VIEW



SECTION A-A



SECTION B-B



SECTION C-C


NOTE:

REFER TO STANDARD SPECIFICATIONS FOR HIGHWAY CONSTRUCTION SECTION 702 FOR MORE INFORMATION.

* TO PROTECT THE PIPE AND BACKFILL DURING CONSTRUCTION, PROVIDE A MINIMUM OF 36" OF COMPACTED FILL MATERIAL OVER THE TOP OF THE PIPE BEFORE ALLOWING ANY HEAVY EQUIPMENT TO TRAVERSE OVER THE PIPE. EXTREMELY HEAVY EQUIPMENT MAY REQUIRE LARGER COVER AS DETERMINED BY THE CONTRACTOR.

MINIMUM BACKFILL FOR TRAFFIC
GENERAL INFORMATION

BUILD 4" PIPE UNDERDRAIN					
STATION TO	STATION	SIDE	DESCRIPTION	PERFORATED LIN. FT.	NONPERFORATED LIN. FT.
*	-	*	*	*	*



PLAN VIEW OF PIPE UNDERDRAIN OUTLET

4" PIPE UNDERDRAIN
GENERAL INFORMATION


NEBRASKA
Good Life. Great Journey.
DEPARTMENT OF TRANSPORTATION

Roadway Design Division
1500 Nebraska Parkway
Lincoln, NE 68502
Office: 402-479-4601

COMPUTER: BG0419M187

DATE: 10-MAR-2026 11:52



FILE: 4300_3_R2.dgn



NOTES:

SHOULDER CONSTRUCTION TO BE PERFORMED PRIOR TO CONSTRUCTING PIPE UNDERDRAINS.

- ① SUBGRADE PREPARATION
- ② FOUNDATION COURSE
- ③ 4" PERFORATED PIPE UNDERDRAIN
- ④ 4" NON-PERFORATED PIPE UNDERDRAIN (RIGID)
- ⑤ GRANULAR BACKFILL MATERIAL (SUBSIDIARY)
- ⑥ FILTER FABRIC (SUBSIDIARY)
- ⑦ CONCRETE PAVEMENT
- ⑧ COHESIVE SOIL



4" PIPE UNDERDRAIN
GENERAL INFORMATION







NEBRASKA
Good Life. Great Journey.
DEPARTMENT OF TRANSPORTATION

Roadway Design Division
1500 Nebraska Parkway
Lincoln, NE 68502
Office: 402-479-4601

COMPUTER: BG0419M187

DATE: 10-MAR-2026 11:50

FILE: 4300 3 R2.dgn



4" PIPE UNDERDRAIN
GENERAL INFORMATION


NEBRASKA
Good Life. Great Journey.
DEPARTMENT OF TRANSPORTATION

Roadway Design Division
1500 Nebraska Parkway
Lincoln, NE 68502
Office: 402-479-4601

COMPUTER: BG0419M187

DATE: 10-MAR-2026 11:49

FILE: 4300_3_R2.dgn



COMPUTER: BG0419M187

DATE: 10-MAR-2026 11:49


FILE: 4300_3_R2.dgn

4" PIPE UNDERDRAIN
GENERAL INFORMATION


NEBRASKA
Good Life. Great Journey.
DEPARTMENT OF TRANSPORTATION

Roadway Design Division
1500 Nebraska Parkway
Lincoln, NE 68502
Office: 402-479-4601


- ① SUBGRADE PREPARATION
- ② FOUNDATION COURSE
- ③ 4" PERFORATED PIPE UNDERDRAIN
- ④ 4" NON-PERFORATED PIPE UNDERDRAIN (RIGID)
- ⑤ GRANULAR BACKFILL MATERIAL (SUBSIDIARY)
- ⑥ FILTER FABRIC (SUBSIDIARY)
- ⑦ CONCRETE PAVEMENT
- ⑧ COHESIVE SOIL



GRANULAR SUB-DRAIN DETAILS



GRANULAR SUB-DRAIN DETAILS



SECTION A-A

- ① SUBGRADE PREPARATION
- ② FOUNDATION COURSE
- ③ GRANULAR BACKFILL MATERIAL (SUBSIDIARY)

CONSTRUCTION NOTES:

THE GRANULAR SUB-DRAIN SHALL BE CONSTRUCTED WITH POSITIVE DRAINAGE.


GRANULAR SUB-DRAIN SHALL BE INSTALLED AFTER ALL SHOULDERING & EARTH WORK IS COMPLETED AND PRIOR TO SEEDING.

GRANULAR SUB-DRAINS SHALL BE CONSTRUCTED AT INTERVALS OF 200 FT. WHERE THE GRADE IS 1% OR OVER AND AT INTERVALS OF 100 FT. ON GRADES UNDER 1%.

GRANULAR SUB-DRAINS SHALL BE BUILT PERPENDICULAR TO THE CENTER LINE.

BUILD GRANULAR SUB-DRAIN					
STATION	TO	STATION	SIDE	EACH	SPACING
*	-	*	*	*	*

GRANULAR SUB-DRAIN DETAILS
GENERAL INFORMATION



- ① SUBGRADE PREPARATION
- ② FOUNDATION COURSE
- ③ GRANULAR BACKFILL MATERIAL (SUBSIDIARY)

CONSTRUCTION NOTES:

THE GRANULAR SUB-DRAIN SHALL BE CONSTRUCTED WITH POSITIVE DRAINAGE.

GRANULAR SUB-DRAIN SHALL BE INSTALLED AFTER ALL SHOULDERING & EARTH WORK IS COMPLETED AND PRIOR TO SEEDING.



GRANULAR SUB-DRAINS SHALL BE CONSTRUCTED AT INTERVALS OF 200 FT. WHERE THE GRADE IS 1% OR OVER AND AT INTERVALS OF 100 FT. ON GRADES UNDER 1%.

GRANULAR SUB-DRAINS SHALL BE BUILT PERPENDICULAR TO THE CENTER LINE.


BUILD GRANULAR SUB-DRAIN					
STATION	TO	STATION	SIDE	EACH	SPACING
*	-	*	*	*	*

GRANULAR SUB-DRAIN DETAILS
GENERAL INFORMATION


ROADWAY PROFILE IN CREST WITH
FLOW HEADING AWAY FROM STRUCTURE



SECTION A-A



CROSS PIPE SPACING



SECTION A-A



BRIDGE INLET BEHIND GUARDRAIL FOR CREST CONDITION

APPROACH SLAB DRAINAGE INLET
GENERAL INFORMATION


NEBRASKA
Good Life. Great Journey.
DEPARTMENT OF TRANSPORTATION

Roadway
Design
Division


ROADWAY PROFILE IN SAG WITH
FLOW HEADING TOWARDS STRUCTURE



SECTION A-A



CROSS PIPE SPACING



SECTION A-A

BRIDGE INLET BEHIND GUARDRAIL FOR SAG CONDITION

APPROACH SLAB DRAINAGE INLET
GENERAL INFORMATION


NEBRASKA
Good Life. Great Journey.
DEPARTMENT OF TRANSPORTATION

Roadway
Design
Division

COMPUTER: BG0419M187

DATE: 10-MAR-2026 11:57

FILE: 4335_3_R3.dgn



NOTES:

A FIELD CULTIVATOR SHALL BE USED TO PRODUCE PARALLEL, ON THE CONTOUR, 8' TO 12' WIDE CULTIVATION STRIPS. THESE AREAS SHALL BE TILLED TO A DEPTH OF THREE (3) TO FOUR (4) INCHES DEEP.

THE CULTIVATED STRIPS SHALL BE DONE ON A SPACING OF 25' ON CENTER AND AS SHOWN ON THE PLANS BY THE ENGINEER.

THIS WORK SHALL BE DONE AS SOON AS THE FINISH GRADE IS ESTABLISHED FOR ANY SLOPE SLATED TO BE CULTIVATED. THIS CAN BE DONE ON ROUGH GRADED SLOPES THAT WILL SIT AND WAIT FOR THE FINISH GRADING FOR SEVERAL WEEKS.

COMPUTER: BG0419M187


DATE: 10-SEP-2024 11:12

FILE: 5000_3 RO.dgn


CONTOUR CULTIVATION
GENERAL INFORMATION

NEBRASKA
Good Life. Great Journey.
DEPARTMENT OF TRANSPORTATION


Roadway
Design
Division




TYPICAL OBJECT MARKER AT CURB & FLUME LOCATIONS



MARKER HEIGHT DEPENDS ON OBJECT DISTANCE FROM EDGE OF ROADWAY



TYPICAL OBJECT MARKER AT CULVERT LOCATIONS



TYPICAL OBJECT MARKER AT PARALLEL CULVERT LOCATIONS

OBJECT MARKERS
GENERAL INFORMATION

NEBRASKA
Good Life. Great Journey.
DEPARTMENT OF TRANSPORTATION

Roadway Design Division
1500 Nebraska Parkway
Lincoln, NE 68502
Office: 402-479-4601

COMPUTER: BG0419M187

DATE: 4-JUN-2025 08:48

FILE: 9000_3_R1.dgn