

Regulatory Signs


			
R1-1	R1-1P	R1-2	R1-2aP
			
R1-3P	R1-5	R1-5b	R1-6
			
R1-6a	R1-9	R1-9d	R1-10P
			
R2-1	R2-4P	R2-4a	R2-4bP
			
R2-13	R3-1	R3-1b	R3-1d
			
R3-2	R3-3	R3-4	R3-5L
			
R3-5R	R3-5a	R3-5bP	R3-5eP

Regulatory Sign and Plaque Sizes

Width" x Height"

Sign or Plaque	Sign Designation	Conventional Road		Freeway	Minimum	Oversized
		Single Lane	Multi-Lane			
Stop	R1-1	30x30	36x36	—	30x30	48x48
Stop at Line (Plaque)	R1-1P	24x18	24x18	—	—	—
Yield	R1-2	36x36x36	48x48x48	60x60x60	30x30x30	—
To Oncoming Traffic (Plaque)	R1-2aP	24x18	24x18	48x36	24x18	—
All Way (Plaque)	R1-3P	18x6	18x6	—	—	30x12
Yield Here to Peds	R1-5	—	36x36	—	—	36x36
Stop Here to Peds	R1-5b	—	36x36	—	—	36x36
In-Street Ped Crossing - Yield	R1-6	12x36	12x36	—	—	—
In-Street Ped Crossing - Stop	R1-6a	12x36	12x36	—	—	—
Overhead Pedestrian Crossing - Yield (Stop)	R1-9	90x24	90x24	—	—	—
Overhead Trail Crossing	R1-9d	72x24	72x24	—	—	—
Except Right Turn (Plaque)	R1-10P	24x18	24x18	—	—	—
Speed Limit	R2-1	24x30	30x36	48x60	18x24	30x36
Minimum Speed Limit (Plaque)	R2-4bP	24x30	24x30	48x60	—	36x48
Combined Speed Limit	R2-4a	24x48	24x48	48x96	—	36x72
Minimum Speed Limit (Plaque)	R2-4P	24x24	24x24	48x48	—	36x36
End Variable Speed Limit	R2-13	24x30	24x30	48x60	—	36x48
Right Turn Movement Prohibition	R3-1	24x24	36x36	—	—	48x48
Movement Prohibition – Trucks	R3-1b	24x36	24x36	36x54	—	—
Movement Prohibition - Trucks Over X Tons	R3-1d	24x48	24x48	36x66	—	—
Left Turn Movement Prohibition	R3-2	24x24	36x36	—	—	48x48
Turning Movement Prohibition	R3-3	24x24	36x36	—	—	48x48
U Turn Movement Prohibition	R3-4	24x24	36x36	—	—	48x48
Left Turn Movement Lane Control	R3-5L	30x36	30x36	—	—	—
Right Turn Movement Lane Control	R3-5R	30x36	30x36	—	—	—
Straight Movement Lane Control	R3-5a	30x36	30x36	—	—	—
Left Lane (Plaque)	R3-5bP	30x12	30x12	—	—	—
Center Lane (Plaque)	R3-5eP	30x12	30x12	—	—	—

Regulatory Signs


 RIGHT LANE R3-5fP	 R3-6	 LEFT LANE MUST TURN LEFT R3-7L	 RIGHT LANE MUST TURN RIGHT R3-7R
 ONLY R3-8 (x-x)	 ONLY R3-8 (x-x-x)	 ONLY ONLY ONLY ONLY R3-8 (x-x-x-x)	 ONLY R3-9a
 CENTER LANE ONLY R3-9b	 BEGIN R3-9cP	 E N D R3-9dP	 7-9AM 4-6PM ONLY OTHER TIMES R3-9e
 CENTER LANE DO NOT USE 7-9 AM MON-FRI R3-9f	 END REVERSE LANE AT Colorado Blvd R3-9g	 END REVERSE LANE 400 FEET R3-9ga	 BEGIN REVERSE LANE AT Colorado Blvd R3-9h
 BEGIN REVERSE LANE 400 FEET R3-9ha	 ONLY END REVERSE LANE R3-9i	 BUS LANE AHEAD R3-10a	 R3-18
 BEGIN LEFT TURN LANE R3-20L	 BEGIN RIGHT TURN LANE R3-20R	 LEFT TURN LANE R3-20aL	 RIGHT TURN LANE R3-20aR
 R3-27	 SIGNAL YOUR TURN R3-30	 RIGHT LANE MUST EXIT R3-33	 DO NOT PASS R4-1

Regulatory Sign and Plaque Sizes

Width" x Height"

Sign or Plaque	Sign Designation	Conventional Road		Freeway	Minimum	Oversized
		Single Lane	Multi-Lane			
Right Lane (Plaque)	R3-5fP	30x12	30x12	—	—	—
Optional Movement Lane Control	R3-6	30x36	30x36	—	—	—
Left Lane Must Turn Left	R3-7L	30x30	36x36	—	—	48x48
Right Lane Must Turn Right	R3-7R	30x30	36x36	—	—	48x48
Advance Intersection Lane Control	R3-8(L-LS)	Variesx30	Variesx30	—	—	Variesx36
Advance Intersection Lane Control	R3-8(L-LS-R)	Variesx30	Variesx30	—	—	Variesx36
Advance Intersection Lane Control	R3-8(L-L-R-R)	Variesx30	Variesx30	—	—	Variesx36
Two-Way Left Turn Only (overhead)	R3-9a	30x36	30x36	—	—	—
Two-Way Left Turn Only (post-mounted)	R3-9b	24x36	24x36	—	—	36x48
BEGIN (Plaque)	R3-9cP	24x12	24x12	—	—	36x18
END (Plaque)	R3-9dP	24x12	24x12	—	—	36x18
Reversible Lane Control (symbol)	R3-9e	108x48	108x48	—	—	—
Reversible Lane Control (post-mounted)	R3-9f	30x42	36x54	—	—	—
Advance Reversible Lane Control Transition Signing (End at Location)	R3-9g	108x36	108x36	—	—	—
Advance Reversible Lane Control Transition Signing (End XXX Feet)	R3-9ga	108x36	108x36	—	—	—
Advance Reversible Lane Control Transition Signing (Begin at Location)	R3-9h	108x36	108x36	—	—	—
Advance Reversible Lane Control Transition Signing (Begin XXX Feet)	R3-9ha	108x36	108x36	—	—	—
End Reverse Lane	R3-9i	108x48	108x48	—	—	—
Bus Lane Ahead	R3-10a	30x42	42x60	54x84	—	—
Left & U Turn Movement Prohibition	R3-18	24x24	36x36	36x36	—	48x48
Begin Left Turn Lane	R3-20L	24x36	24x36	—	—	—
Begin Right Turn Lane	R3-20R	24x36	24x36	—	—	—
Left Turn Lane	R3-20aL	30x36	30x36	—	—	—
Right Turn Lane	R3-20aR	30x36	30x36	—	—	—
Straight Ahead Movement Prohibition	R3-27	24x24	36x36	—	—	48x48
Signal Your Turn	R3-30	30x36	30x36	—	—	—
Right Lane Must Exit	R3-33	—	—	78x36	—	—
Do Not Pass	R4-1	24x30	24x30	48x60	18x24	36x48

Regulatory Signs

 PASSING PROHIBITED NEXT X MILES R4-1a	 PASS WITH CARE R4-2	 SLOWER TRAFFIC KEEP RIGHT R4-3	 THRU TRAFFIC KEEP RIGHT R4-3a
 TRUCKS USE RIGHT LANE R4-5	 TRUCK LANE AHEAD R4-6a	 R4-7	 KEEP → RIGHT R4-7a
 KEEP → RIGHT R4-7b	 R4-8	 KEEP ← LEFT R4-8a	 KEEP ← LEFT R4-8b
 STAY IN LANE R4-9	 KEEP RIGHT EXCEPT TO PASS R4-16	 DO NOT DRIVE ON SHOULDER R4-17	 DO NOT PASS ON SHOULDER R4-18
 DO NOT ENTER R5-1	 WRONG WAY R5-1a	 R5-2	 NO TRUCKS R5-2a
 EXCEPT LOCAL DELIVERY R5-2aP	 NO THRU TRUCKS R5-2b	 NO MOTOR VEHICLES R5-3	 NO COMMERCIAL VEHICLES R5-4
 NO VEHICLES WITH LUGS R5-5	 R5-6	 USE BIKEWAY ← R5-6a	 NO NON-MOTORIZED TRAFFIC R5-7

Regulatory Sign and Plaque Sizes

Width" x Height"

Sign or Plaque	Sign Designation	Conventional Road		Freeway	Minimum	Oversized
		Single Lane	Multi-Lane			
Passing Prohibited (Next X Miles)	R4-1a	84x48	84x48	84x48	—	—
Pass With Care	R4-2	24x30	24x30	48x60	18x24	36x48
Slower Traffic Keep Right	R4-3	24x30	24x30	48x60	18x24	36x48
Thru Traffic Keep Right	R4-3a	24x30	24x30	—	—	36x48
Trucks Use Right Lane	R4-5	24x30	24x30	48x60	—	36x48
Truck Lane Ahead	R4-6a	24x30	24x30	—	—	—
Keep Right (Symbol Only)	R4-7	24x30	24x30 *	48x60	18x24	36x48
Keep Right (w/Arrow)	R4-7a	24x30	24x30	48x60	18x24	36x48
Keep Right (w/Diagonal Arrow)	R4-7b	24x30	24x30	48x60	18x24	36x48
Keep Left	R4-8	24x30	24x30	48x60	18x24	36x48
Keep Left (w/Arrow)	R4-8a	24x30	24x30	48x60	18x24	36x48
Keep Left (w/Diagonal Arrow)	R4-8b	24x30	24x30	48x60	18x24	36x48
Stay in Lane	R4-9	24x30	24x30	48x60	18x24	36x48
Keep Right Except to Pass	R4-16	24x30	24x30	48x60	18x24	36x48
Do Not Drive on Shoulder	R4-17	24x30	24x30	48x60	18x24	36x48
Do Not Pass on Shoulder	R4-18	24x30	24x30	48x60	18x24	36x48
Do Not Enter	R5-1	30x30	36x36	48x48	—	36x36
Wrong Way	R5-1a	36x24	42x30	42x30	30x18	42x30
No Trucks (Symbol)	R5-2	24x24	24x24	36x36	—	36x36
No Trucks	R5-2a	24x24	24x24	36x36	—	36x36
Expect Local Deliveries (Plaque)	R5-2aP	24x12	24x12	36x18	—	36x18
No Thru Trucks	R5-2b	24x30	24x30	36x48	—	36x48
No Motor Vehicles	R5-3	24x24	24x24	—	24x24	—
No Commercial Vehicles	R5-4	24x30	24x30	36x48	—	—
No Vehicles with Lugs	R5-5	24x30	24x30	48x60	—	—
No Bicycles	R5-6	24x24	24x24	36x36	24x24	48x48
Use Bikeway	R5-6a	24x18	24x18	—	—	—
No Non-Motorized Traffic	R5-7	30x24	30x24	48x30	—	42x24

* R4-7 (For Use On Expressways - 30x36)

Regulatory Signs

 NO MOTOR-DRIVEN CYCLES R5-8	 NO PEDESTRIANS BICYCLES MOTOR-DRIVEN CYCLES R5-10	 NO PEDESTRIANS OR BICYCLES R5-10b	 NO PEDESTRIANS R5-10c
 AUTHORIZED VEHICLES ONLY R5-11	 PROHIBITED FARM & CONSTRUCTION EQUIP. HITCHHIKING - PEDESTRIANS MOTOR SCOOTERS UNDER 10 HP BICYCLES MINITRUCKS R5-11a	 NO THRU TRAFFIC R5-12	 ONE WAY R6-1L
 ONE WAY R6-1R	 ONE WAY R6-2L	 ONE WAY R6-2R	 DIVIDED HIGHWAY R6-3
 DIVIDED HIGHWAY R6-3a	 ONE WAY TRAFFIC AHEAD R6-5	 ONE WAY TRAFFIC AHEAD R6-5P	 BEGIN ONE WAY R6-6
 END ONE WAY R6-7	 NO PARKING ANY TIME R7-1	 NO PARKING 8:30 AM TO 5:30 PM R7-2	 NO PARKING 8:30 AM TO 5:30 PM R7-2a
 NO PARKING EXCEPT SUNDAYS AND HOLIDAYS R7-3	 NO PARKING 7AM-5PM EXCEPT SAT. & SUN. R7-3a	 NO STANDING ANY TIME R7-4	 ONE HOUR PARKING 9AM-7PM R7-5
 NO PARKING LOADING ZONE R7-6			

Regulatory Sign and Plaque Sizes

Width" x Height"

Sign or Plaque	Sign Designation	Conventional Road		Freeway	Minimum	Oversized
		Single Lane	Multi-Lane			
No Motor-Driven Cycles	R5-8	30x24	30x24	48x30	—	42x24
No Pedestrians, Bicycles, Motor-Driven Cycles	R5-10	30x36	30x36	—	—	—
No Pedestrians or Bicycles	R5-10b	30x18	30x18	—	—	—
No Pedestrians	R5-10c	24x12	24x12	—	—	—
Authorized Vehicles Only	R5-11	30x24	30x24	—	—	—
Prohibited Farm & Const. Equipment	R5-11a	—	—	48x24	—	—
No Thru Traffic	R5-12	24x30	24x30	—	—	—
One Way Arrow (Left)	R6-1L	36x12	54x18	54x18	—	—
One Way Arrow (Right)	R6-1R	36x12	54x18	54x18	—	—
One Way (Left)	R6-2L	24x30	30x36	48x60	18x24	36x48
One Way (Right)	R6-2R	24x30	30x36	48x60	18x24	36x48
Divided Highway Crossing (2 Entry)	R6-3	30x24	30x24	—	—	36x30
Divided Highway Crossing (1 Entry)	R6-3a	30x24	30x24	—	—	36x30
One Way Traffic Ahead	R6-5	30x30	30x30	—	—	—
Roundabout Circulation (Plaque)	R6-5P	30x30	30x30	—	—	—
BEGIN ONE WAY	R6-6	24x30	30x36	—	—	—
END ONE WAY	R6-7	24x30	30x36	—	—	—
Parking Restriction (Anytime <)	R7-1	12x18	12x18	—	—	—
Parking Restriction (8:30A-5:30P >)	R7-2	12x18	12x18	—	—	—
Parking Restriction (Symbol, 8:30A-5:30P)	R7-2a	12x18	12x18	—	—	—
Parking Restriction (Except Sun. & Holidays)	R7-3	12x18	12x18	—	—	—
Parking Restriction	R7-3a	12x18	12x18	—	—	—
Standing Restriction (Any Time <>)	R7-4	12x18	12x18	—	—	—
One Hour Parking (9A-7P <>)	R7-5	12x18	12x18	—	—	—
Parking Restriction (Loading Zone <>)	R7-6	12x18	12x18	—	—	—

Regulatory Signs


			
R7-7	R7-8	R7-8aP	R7-9
			
R7-9a	R7-107	R7-107a	R7-108
			
R7-200	R7-200a	R7-201P	R7-201aP
			
R7-202P	R7-203	R8-1	R8-2
			
R8-2a	R8-3	R8-3a	R8-3bP
			
R8-3cP	R8-3dP	R8-3eP	R8-3fP
			
R8-3gP	R8-3hP	R8-4	R8-4a

Regulatory Sign and Plaque Sizes

Width" x Height"

Sign or Plaque	Sign Designation	Conventional Road		Freeway	Minimum	Oversized
		Single Lane	Multi-Lane			
Parking Restriction (Bus Stop >)	R7-7	12x18	12x18	—	—	—
Reserved Parking (Handicapped <>)	R7-8	12x18	12x18	—	—	—
Van Accessible (Plaque)	R7-8aP	12x6	12x6	—	—	—
Parking Restriction (Bike Lane)	R7-9	12x18	12x18	—	—	—
Parking Restriction Symbol (Bike Lane)	R7-9a	12x18	12x18	—	—	—
Parking Restriction (Bus Stop >)	R7-107	12x18	12x18	—	—	—
No Parking (with Transit Logo)	R7-107a	12x24	12x24	—	—	—
Parking Allowance (8:30A-5:30P <>) (XX Minutes or XX, X/X Hour)	R7-108	12x18	12x18	—	—	—
No Parking/Restricted Parking (Combined Horizontal Sign)	R7-200	24x18	24x18	—	—	—
No Parking/Restricted Parking (Combined Vertical Sign)	R7-200a	12x36	12x36	—	—	—
Tow Away Zone Symbol (Plaque)	R7-201P	12x6	12x6	—	—	—
Tow Away Zone (Plaque)	R7-201aP	12x6	12x6	—	—	—
This Side of Sign (Plaque)	R7-202P	12x6	12x6	—	—	—
Emergency Snow Route	R7-203	18x24	18x24	—	—	24x30
No Parking on Pavement	R8-1	24x30	24x30	48x60	—	36x48
No Parking Except on Shoulder	R8-2	24x30	24x30	48x60	—	36x48
No Parking on Shoulder	R8-2a	24x30	24x30	48x60	—	36x48
No Parking (Symbol)	R8-3	24x24	30x30	48x48	12x12	36x36
No Parking	R8-3a	24x30	24x30	48x48	18x24	36x36
Except Sundays and Holidays (Plaque)	R8-3bP	24x18	24x18	—	12x9	30x24
On Pavement (Plaque)	R8-3cP	24x18	24x18	—	12x9	30x24
On Bridge (Plaque)	R8-3dP	24x18	24x18	—	12x9	30x24
On Tracks (Plaque)	R8-3eP	12x9	12x9	—	—	30x24
Except on Shoulder (Plaque)	R8-3fP	24x18	24x18	—	12x9	30x24
Loading Zone (Plaque)	R8-3gP	24x18	24x18	—	12x9	30x24
Times of Day (Plaque)	R8-3hP	24x18	24x18	—	12x9	30x24
Emergency Parking Only	R8-4	30x24	30x24	48x36	—	48x36
Authorized Parking Only	R8-4a	24x18	24x18	—	—	—

Regulatory Signs

 R8-4b	 R8-5	 R8-6	 R8-7
 R8-8	 R8-8a	 R8-9	 R8-10
 R9-1	 R9-2	 R9-3	 R9-3a
 R9-3bP	 R9-4	 R9-4a	 R9-5
 R9-6	 R9-7	 R9-8	 R9-9
 R9-10	 R9-11	 R9-11a	 R9-13
 R9-14	 R10-1	 R10-1a	 R10-2

Regulatory Sign and Plaque Sizes

Width" x Height"

Sign or Plaque	Sign Designation	Conventional Road		Freeway	Minimum	Oversized
		Single Lane	Multi-Lane			
Authorized Vehicles Only	R8-4b	24x18	24x18	—	—	—
No Stopping on Pavement	R8-5	24x30	24x30	48x60	—	36x48
No Stopping Except on Shoulder	R8-6	24x30	24x30	48x60	—	36x48
Emergency Stopping Only	R8-7	30x24	30x24	48x36	—	48x36
Do Not Stop on Tracks	R8-8	24x30	24x30	—	—	36x48
Do Not Stop Under Gates	R8-8a	24x30	24x30	—	—	36x48
Tracks Out of Service	R8-9	24x24	24x24	—	—	36x36
Stop Here when Flashing	R8-10	24x36	24x36	—	—	36x48
Walk on Left Facing Traffic	R9-1	18x24	18x24	—	—	—
Cross Only at Crosswalks	R9-2	12x18	12x18	—	—	—
No Pedestrian Crossing (Symbol)	R9-3	18x18	18x18	30x30	—	30x30
No Pedestrian Crossing	R9-3a	12x18	12x18	—	—	—
Use Crosswalk (Plaque)	R9-3bP	18x12	18x12	—	—	—
No Hitchhiking (Symbol)	R9-4	18x18	18x18	—	—	24x24
No Hitchhiking	R9-4a	18x24	18x24	—	12x18	—
Bicycles Use Ped Signal	R9-5	18x24	18x24	—	—	—
Bicycles Yield to Peds	R9-6	12x18	12x18	—	—	—
Peds Keep Left, Bicycles Keep Right	R9-7	12x18	12x18	—	—	—
Pedestrian Crosswalk	R9-8	36x18	36x18	—	—	—
Sidewalk Closed	R9-9	24x12	24x12	—	—	—
Sidewalk Closed < > Use Other Side	R9-10	24x12	24x12	—	—	—
Sidewalk Closed Ahead < Cross Here	R9-11	24x18	24x18	—	—	—
Sidewalk Closed < Cross Here	R9-11a	24x12	24x12	—	—	—
No Skaters	R9-13	18x18	18x18	30x30	—	30x30
No Equestrians	R9-14	18x18	18x18	30x30	—	30x30
Cross Only On Green (Symbol)	R10-1	12x18	12x18	—	—	—
Cross On Green Light Only	R10-1a	12x18	12x18	—	—	—
Cross Only On Crosswalk Signal	R10-2	9x12	9x12	—	—	—

Regulatory Signs




R10-2a



R10-3




R10-3a



R10-3b



R10-3c



R10-3d



R10-3e



R10-4



R10-4a



R10-5



R10-5a



R10-5b




R10-6L



R10-6R



R10-6a



R10-7



R10-8



R10-10L



R10-10R



R10-11a



R10-11



R10-11b



R10-11c



R10-11d




R10-12



R10-12a



R10-13



R10-14

Regulatory Sign and Plaque Sizes

Width" x Height"

Sign or Plaque	Sign Designation	Conventional Road		Freeway	Minimum	Oversized
		Single Lane	Multi-Lane			
Pedestrian Signs	R10-2a	9x12	9x12	—	—	—
Push Button for Walk Symbol >	R10-3	9x12	9x12	—	—	—
Push Button to Cross St. < Wait for Signal	R10-3a	9x15	9x15	—	—	—
Pedestrian Sign (Walk, Flash, Don't Cross)	R10-3b	9x12	9x12	—	—	—
Pedestrian Sign (Walk, Flash, Don't Cross)	R10-3c	9x12	9x12	—	—	—
Pedestrian Sign (Walk Symbol, Flash, Hand)	R10-3d	9x12	9x12	—	—	—
Pedestrian Sign (Walk Symbol, Timer, Hand)	R10-3e	9x15	9x15	—	—	—
Push Button for Green Signal <	R10-4	9x12	9x12	—	—	—
Push Button to Cross St. > Wait for Green	R10-4a	9x15	9x15	—	—	—
Left on Green Arrow Only	R10-5	30x36	30x36	—	24x30	48x60
Wait For Your Green	R10-5a	30x18	30x18	—	—	—
Three-Way Signal_Wait For Your Green	R10-5b	30x30	30x30	—	—	—
Stop Here on Red (Left Arrow)	R10-6L	24x36	24x36	—	—	36x48
Stop Here on Red (Right Arrow)	R10-6R	24x36	24x36	—	—	36x48
Stop Here on Red	R10-6a	24x30	24x30	—	—	36x42
Do Not Block Intersection	R10-7	24x30	24x30	—	—	—
Use Lane with Green Arrow	R10-8	30x36	30x36	—	—	60x72
Left Turn Signal	R10-10L	24x30	24x30	—	—	30x36
Right Turn Signal	R10-10R	24x30	24x30	—	—	30x36
No Turn on Circular Red	R10-11a	24x30	24x30	—	—	36x48
No Turn on Red	R10-11	24x30	24x30	—	—	36x48
No Turn on Red	R10-11b	24x24	24x24	—	—	36x36
No Turn on Red Except From Right Lane	R10-11c	30x36	30x36	—	—	—
No Turn on Red From This Lane	R10-11d	30x42	30x42	—	—	—
Left Turn Yield on Green	R10-12	30x36	30x36	—	—	—
Left Turn Yield on Flashing Yellow Arrow	R10- 12a	30x36	30x36	—	—	—
Emergency Signal	R10-13	36x24	36x24	—	—	42x30
Emergency Signal - Stop on Flashing Red	R10-14	36x42	36x42	—	—	—


Regulatory Signs




R10-15



R10-15YG



R10-16



R10-17a



R10-20P



R10-20aP



R10-23



R10-23a



R10-25



R10-27



R10-30



R10-31P



R11-1



R11-2



R11-2a



R11-3



R11-3b



R11-4



R11-4a



R12-1




R12-2



R12-3




R12-4



R12-5



R12-5b



R12-6

Regulatory Sign and Plaque Sizes

Width" x Height"

Sign or Plaque	Sign Designation	Conventional Road		Freeway	Minimum	Oversized
		Single Lane	Multi-Lane			
Turning Vehicles Yield to Peds	R10-15	30x30	30x30	—	—	—
Turning Vehicles Yield to Peds (Yellow-Green)	R10-15YG	30x30	30x30	—	—	—
U-Turn Yield to Right Turn	R10-16	30x36	30x36	—	—	—
Right on Red Arrow After Stop	R10-17a	30x36	30x36	—	—	—
MON - FRI and Times (3 Line Plaque)	R10-20P	24x24	24x24	—	—	—
SUNDAY and Time (2 Line Plaque)	R10-20aP	24x18	24x18	—	—	—
Crosswalk, Stop on Red Signal	R10-23	24x30	24x30	—	—	—
Stop On Red – Yield on Flashing Red after Stop	R10-23a	24x30	24x30	—	—	—
Push Button to Turn on Warning Lights	R10-25	9x12	9x12	—	—	—
Left Turn Yield on Flashing Red Arrow After Stop	R10-27	30x36	30x36	—	—	—
Right Turn on Red Must Yield to U-Turn	R10-30	30x36	30x36	—	—	—
At Signal (Plaque)	R10-31P	24x9	24x9			
Keep Off Median	R11-1	24x30	24x30	—	—	—
Road Closed	R11-2	48x30	48x30	—	—	—
Bridge Out	R11-2a	48x30	48x30	—	—	—
Road Closed x Miles Ahead - Local Traffic Only	R11-3	60x30	60x30	—	—	—
Bridge Out X Miles Ahead - Local Traffic Only	R11-3b	60x30	60x30	—	—	—
Road Closed to Thru Traffic	R11-4	60x30	60x30	—	—	—
Street Closed to Thru Traffic	R11-4a	60x30	60x30	—	—	—
Weight Limit - XX Tons	R12-1	24x30	24x30	—	—	36x48
Axle Weight Limit - X Tons	R12-2	24x30	24x30	—	—	36x48
No Trucks Over 7,000 lbs. Empty Weight	R12-3	24x36	24x36	—	—	—
Weight Limit - X Tons Per Axle - XX Tons Gross	R12-4	36x24	36x24	—	—	—
Weight Limit (Types of Trucks)	R12-5	24x36	24x36	48x60	—	—
Interstate Weight Limit Single, Tandem, Gross (Tons)	R12-5b	48x48	48x48	—	—	—
Weight Limit - Specialized Hauling Vehicles	R12-6	30x42	36x48	48x60	—	48x60

Regulatory Signs

EMERGENCY
VEHICLES
SINGLE AXLE 12T
TANDEM 26T
GROSS 43T

R12-7aP

TRUCKS
OVER 10 TONS
MUST ENTER
WEIGH STATION
NEXT RIGHT

R13-1

ALL TRUCKS &
PICKUPS WITH TRAILERS
STOP 1/2 MILE
RECREATION VEHICLES EXEMPT

R13-1a

**TRUCK
ROUTE**

R14-1

RAIL
CROSSING

R15-1

**3
TRACKS**

R15-2P

EXEMPT

R15-3P

**RIGHT
LANE
ONLY**

R15-4a

**LEFT
LANE
ONLY**

R15-4b

**CENTER
LANE
ONLY**

R15-4c

**DO NOT
PASS**

R15-5

**DO NOT
PASS
STOPPED
TRAIN**

R15-5a



R15-6

**DO NOT
DRIVE
ON
TRACKS**

R15-6a



R15-7




R15-7a



R15-8



R16-1



R16-1c

STATE LAW
MOVE OVER
FOR STOPPED VEHICLES
IF UNABLE, SLOW DOWN

R16-3b

MOVE ACCIDENTS
TO SHOULDER

R16-4a

MOVE
ACCIDENTS
TO
SHOULDER

R16-4b

CHECK
HEADLIGHTS

R16-9

**NO
HIGHWAY
LITTERING**
MAX. FINES
\$500 - \$1000

R17-1

**DUMPING
RUBBISH
ILLEGAL**

R17-2

**NO
FISHING
FROM
BRIDGE**

R18-1

**HAY
HARVESTING
PROHIBITED**
NE DEPT OF TRANSPORTATION

R18-2

**MOWING
PROHIBITED**
NEBRASKA DEPARTMENT OF TRANSPORTATION

R18-3

Regulatory Sign and Plaque Sizes

Width" x Height"

Sign or Plaque	Sign Designation	Conventional Road		Freeway	Minimum	Oversized
		Single Lane	Multi-Lane			
Weight Limit - Emergency Vehicles (Plaque)	R12-7aP	30x30	36x30	48x48	—	48x48
Trucks Over 10 Tons Must Enter Weigh Station	R13-1	72x54	72x54	132x90	—	—
All Trucks & Pickups with Trailers Stop 1/4 or 1/2 Mile	R13-1a	96x48	96x48	120x90	—	—
Truck Route	R14-1	24x18	24x18	—	—	—
Railroad Crossing (Crossbuck)	R15-1	48x9	48x9	—	—	—
Number of Tracks	R15-2P	27x18	27x18	—	—	—
Exempt (Plaque)	R15-3P	24x12	24x12	—	—	—
Light Rail Only Right Lane	R15-4a	24x30	24x30	—	—	—
Light Rail Only Left Lane	R15-4b	24x30	24x30	—	—	—
Light Rail Only Center Lane	R15-4c	24x30	24x30	—	—	—
Light Rail Do Not Pass	R15-5	24x30	24x30	—	—	—
Do Not Pass Stopped Train	R15-5a	24x30	24x30	—	—	—
Do Not Drive on Tracks Symbol	R15-6	24x24	24x24	—	—	—
Do Not Drive on Tracks	R15-6a	24x30	24x30	—	—	—
Light Rail Divided Highway Symbol	R15-7	24x24	24x24	—	—	—
Light Rail Divided Highway Symbol (T-Intersection)	R15-7a	24x24	24x24	—	—	—
Look < >	R15-8	—	—	—	18x9	—
Seatbelt (State Law)	R16-1	15x20	15x20	18x24	—	—
Seatbelts & Helmets (Required by Nebraska State Law)	R16-1c	60x48	60x48	90x72	—	—
Move Over Law	R16-3b	—	120x48	156x74	—	—
Fender Bender Move Vehicles	R16-4a	—	—	108x36	—	—
Fender Bender Move Vehicles	R16-4b	—	—	48x48	—	—
Check Headlights	R16-9	42x18	42x18	78x36	—	60x30
No Highway Littering (Max. Fines)	R17-1	30x30	30x30	—	—	48x48
Dumping Rubbish Illegal	R17-2	24x24	24x24	—	—	—
No Fishing From Bridge	R18-1	24x30	24x30	—	—	—
Hay Harvesting Prohibited (NDOT)	R18-2	24x18	24x18	—	—	—
Mowing Prohibited (NDOT)	R18-3	30x18	30x18	—	—	—

Regulatory Signs



R18-3a



R18-3b



R18-4a



R18-5



R18-7a



R19-2



R20-1



R20-1a




R20-1L



R20-1R



R40-1




R40-27



R40-31




R40-39



R40-39a



R40-44



R40-122



R40-126




R41-13



R41-13a



R41-13b



R41-17b



R42-1



R44-9

Regulatory Sign and Plaque Sizes

Width" x Height"

Sign or Plaque	Sign Designation	Conventional Road		Freeway	Minimum	Oversized
		Single Lane	Multi-Lane			
Mowing Prohibited	R18-3a	12x06	12x06	—	—	—
Spraying Prohibited	R18-3b	12x06	12x06	—	—	—
No Camping - Maximum 10 Hour Parking	R18-4a	18x24	18x24	—	—	30x42
No Trespassing (NDOT)	R18-5	36x18	36x18	—	—	
No Swimming - Violators will be Prosecuted	R18-7a	24x18	24x18	—	—	—
Leaving Brand Inspection Area - Check Compliance w/Cattle Brand Inspection Laws	R19-2	96x36	96x36	96x36	—	—
Controlled Access Highway <> Before Improving Abutting Property Contact NDOT	R20-1	12x12	12x12	—	—	—
Controlled Access Highway Before Improving Abutting Property Contact NDOT	R20-1a	24x24	24x24	—	—	—
Controlled Access Highway < Before Improving Abutting Property Contact NDOT	R20-1L	12x12	12x12	—	—	—
Controlled Access Highway > Before Improving Abutting Property Contact NDOT	R20-1R	12x12	12x12	—	—	—
Right Turn Permitted Without Stopping	R40-1	24x30	24x30	—	—	30x36
Farming Right of Way Prohibited - NDOT	R40-27	24x18	24x18	—	—	—
Do Not Enter When Flooded	R40-31	24x30	24x30	—	—	—
Corridor Protection Has Been Filed on This Property <>	R40-39	30x30	30x30	—	—	—
State of NE ROW, No Unauthorized Access	R40-39a	24x12	24x12	—	—	—
Unauthorized Vehicles Subject to \$300 Fine - State Law	R40-44	30x30	30x30	—	—	—
Do Not Cross Double White Line	R40-122	—	—	60x48	—	—
Trucks Use Right 2 Lanes	R40-126	—	—	120x84	—	—
Right Lane Must Exit	R41-13	—	—	60x48	—	—
Right 2 Lanes Must Exit	R41-13a	—	—	60x48	—	—
Right Lane Must Exit 1 Mile	R41-13b	—	—	60x60	—	—
Speeding Fines Doubled When Workers Present	R41-17b	48x36	48x36	60x48	—	—
Engine Braking Prohibited - City Ordinance	R42-1	24x24	36x36	—	—	—
Next X Miles	R44-9	24x18	24x18	—	—	—